Record Tracking V. 2.0 User Manual November 1991 Part I

Orientation
Introduction
Functional Description
Package Management/Implementation Guide
Transaction Menu

Overview

Charge-Out Records

Check-in Records

Create a Label/Record/Volume

Patient Charge-Out

Update Record's Attributes

Delete a Record

Flag Record as Missing

Inactivate/Reactivate Records

Move Requests to Last Volume

Multiple New Volume Creation

New Volume Creation

Re-Charge Records

Transfer Records Menu

Create Record/Volume for transferred Record

Request a Transfer from another Institution

Return Transferred Record

Transfer Record to another Institution

Request Records Menu

Overview

Cancel a Request

Designate Requests as 'Not Fillable'

Display Request

Edit a Request

Fill a Request

Reprint a Request Notice

Request a Record

Pull List Functions Menu

Overview
Create a Pull List
Add Requests to Pull List
Charge Out Pull List Records
Pull List Date Change
Entire Pull List Cancellation
Cancel Request from Pull List
Designate Requests as 'Not Fillable'
Edit Pull List Comment
Print Pull List(s)
Special Multi-Institution Prints
Entire Pull List Cancellation (all dates)

Orientation

How To Use This Manual

The Record Tracking User Manual is provided in Adobe Acrobat PDF (portable document format) files. The Acrobat Reader is used to view the documents. If you do not have the Acrobat Reader loaded, it is available from the **V***ISTA* Home Page, "Viewers" Directory.

Once you open the file, you may click on the desired entry name in the table of contents on the left side of the screen to go to that entry in the document. You may print any or all pages of the file. Click on the "Print" icon and select the desired pages. Then click "OK".

Introduction

The prompt availability of patient records is an essential ingredient in the delivery of quality medical care. Lack of access to vital patient history contained in these records may lead to life-threatening situations.

The VA Record Tracking system is a comprehensive software package, written to aid file activities in assuring optimum availability of these records to a broad range of users within and outside the facility. Functions which were previously done manually have been computerized, promoting greater efficiency, uniformity and accuracy. Demographic record information is now available on-line to a broad range of users as well as a variety of reports which have been included to assist management in workload analysis and quality assurance.

The system has been designed so that it may be used in conjunction with bar code technology, further enhancing efficiency and accuracy. The Record Tracking system uses VA FileManager, and integrates with the Radiology and PIMS packages in performance of its functions.

This package was originally designed for use in tracking Medical Administration and/or Radiology records. A great deal of flexibility has been built into the system so that it may be custom-tailored to meet the needs of practically any file activity.

Other related materials to this guide are the Record Tracking Technical Manual and the Record Tracking Monograph. The Record Tracking Technical Manual is mainly directed at the application coordinator and site manager to assist in initialization, parameter definition and maintenance of the system. The Record Tracking Monograph provides a brief synopsis of the Record Tracking system.

Functional Description

This is a comprehensive software package, providing for all aspects of records control and maintenance. There are six user menus and two site manager/application coordinator menus in support of this goal.

TRANSACTION MENU
REQUEST RECORDS MENU
PULL LIST FUNCTIONS MENU
RECORD INFORMATION MENU
MANAGEMENT REPORTS MENU
INACTIVATE RECORDS MENU

SYSTEM DEFINITION MENU COMPUTER SITE MANAGER'S MENU

The Transaction Menu is basically dedicated to file room functions. It provides software in support of the following activities:

- Charge-out/Check-in of records
- Creation of new records/volumes
- Inactivation/Reactivation and deletion of records
- Printing of barcode labels (on a one-by-one basis)
- Transfer of records to other facilities
- Recharging records to other borrowers
- Flagging a record as "missing". This fires off a MailMan message to a specified mail group advising that the record is missing so users may search their areas for the record.
- Setting a "loose filing" indicator for a specified record. This causes a message
 to be displayed to any user who selects the record for transaction, advising that
 loose filing exists.

The Request Records Menu supports requisitioning activities for individual records. Requests may be entered for records needed at future date/times as well as immediately. Entry of these requests causes a request notice to be printed in the file room (or wherever specified through System Definition). File room personnel use the appropriate option to either fill the request, thereby charging the record out to the requestor, or deem the request as unfillable. This menu interfaces with the Scheduling module of the MAS package and Pull List Functions Menu. All record requests appearing on pull lists (entered either through the Scheduling module or the Pull List Functions Menu) may be accessed through this menu. When pending, past or present requests exist for a record, a message will be displayed if the record is selected for transaction.

The Pull List Functions Menu also supports record requisitioning activities; however, it provides the capability for an individual borrower to request multiple records at a time, thus creating a pull list. It interfaces with the Scheduling module automatically creating pull lists for scheduled clinics. These pull lists are printed on a regular basis, file room personnel fill the requests, and the records are supplied to the appropriate area.

The Record Information Menu provides five record reports which may be displayed for specified patients. These reports are useful in the location and retrieval of records and also provide informational tools for performance of other maintenance and control activities. One report provides a listing of past locations of a particular patient's records as well as the patient's past scheduled appointments and episodes of inpatient care. Another gives a chronological listing of past movements of a patient's record(s) (i.e. charge-out, check-in, transfer, etc.). The other three reports provide an on-line profile of what records exist for a patient and their current location.

The Management Reports Menu provides ten reports which are useful in analyzing workload and identifying record control problems. Management may immediately identify records charged out of the home file room, records charged out for inpatients, records for which loose filing exists, overdue records, pending requests, records charged to a specific borrower and pending requests for a specific borrower. A report is also provided which may be used to evaluate response times for record requests.

The purpose of the Inactivate Records Menu is to perform record retirement tasks. Many options on this menu are similar or identical to options on other menus; however, their purpose here is specific to record retirement.

The System Definition and Computer Site Manager's Menus are provided for initialization and maintenance of the package and for defining site-specific parameters.

The functions within this system interact with one another affording greater control over records. For example, when a record is being checked into the file room the system will display a bulletin if pending requests exist for the record, if it has been flagged as "missing", if loose filing exists, if the patient is currently an inpatient, or if it is being checked into a home file room other than its own. The user may elect to perform any necessary functions related to these bulletins without leaving the option he is working in.

Package Management/Implementation Guide

Package Management

There are no legal requirements associated with this package.

Implementation Guide

The Record Tracking module has been designed so that it can be used in various applications. There are many parameters associated with this package that can be set according to each site's specific needs. The System Definition Menu and the Computer Site Manager's Menu are used to set these parameters. Files associated with the Record Tracking package which may be affected by these parameters include the REASONS file (#195.6), the RECORD TRACKING SYSTEM PARAMETERS file (#195.4), the RECORD MOVEMENT TYPES file (#195.3), the RECORD TYPES file (#195.2), the RECORD TRACKING APPLICATION file (#195.1), the LABEL FORMAT file (#194.4), and the BORROWERS/FILE AREAS file (#195.9). The task of setting these parameters is generally performed at the time of initialization of the package, but the parameters can be changed at virtually any time after they have been set. For more information , please refer to the System Definition and Computer Site Manager's Menus.

Three standard barcode labels are included in the Record Tracking package (record, request, and borrower). Under **NO** circumstances should the existing standard label formats be edited.

The site has the ability to create its own barcode label formats through the Label Functions Menu of the System Definition Menu. It is possible to change the format of site-created labels; however, it is strongly recommended that existing label formats be left as they are. If the site finds it necessary to change a site-created label format, a new label format should be created to incorporate the change(s).

Transaction Menu

The Transaction Menu is the focal point of the Record Tracking package. Generally, it is dedicated to file room activities although select options may be given to other users on an as- needed basis. It supports the following functions.

- Charge-Out/Check-In of records from/to their home location (file room)
- Creation of new records/volumes and printing of barcode labels
- Inactivation/Reactivation and deletion of records
- Transfer of record to/from other facilities
- Recharging records from one borrower to another
- Changing the home location and/or retirement status of a record
- Setting of a LOOSE FILING INDICATOR to generate a message upon check-in of a record that loose filing exists for that record
- Flagging and removing a record as "missing" thereby generating a MailMan message to a specified mail group advising the record is missing.

The functions on this menu are integrated with one another as well as with others in the system, thereby permitting them to be performed within other options. For example, if a record flagged as missing were selected for check-in to a file room, the user would be prompted through the process of removing the missing flag without leaving the check-in option. (This would occur in accordance with the site parameters set forth.)

Below is a descriptive listing of the options on this menu.

CHARGE-OUT RECORDS - Used to record the borrowing of records from their home location by in-house users. Records the borrower of the record along with the date/time charged out.

CHECK-IN RECORDS - Used to record the return of borrowed records to their home location. Enters the home location as the borrower of the record along with the date/time of check-in.

CREATE A LABEL/RECORD/VOLUME - Used to create initial or additional records/volumes for a patient and print bar code labels for new or existing records.

PATIENT CHARGE-OUT - Used to record a patient as the borrower of their own record. Records the patient as the borrower as well as the date/time of charge-out.

UPDATE RECORD'S ATTRIBUTES - Used to enter changes to a record's home location and retirement status or to set a LOOSE FILING INDICATOR thus generating a message upon check-in of the record advising that loose filing exists.

DELETE A RECORD - Used to delete a record and all associated requests, movements, etc. from the Record Tracking system.

FLAG RECORD AS MISSING - Used for records identified as lost; such records may be flagged as missing thereby generating a mail message to a MailMan group (as defined through site parameters). Missing flags may also be removed through this option.

INACTIVATE/REACTIVATE RECORDS - Used to render a record unavailable/available for transaction within the Record Tracking system. Does not delete all associated information, merely prevents the record from being selected for transaction.

MOVE REQUESTS TO LAST VOLUME - Used when an additional volume of a patient's record has been created to move all requests from the last volume to the new one; i. e. Volume #2 of a patient's medical record has just been created - this option would be used to move all requests for Volume #1 to Volume #2.

MULTIPLE NEW VOLUME CREATION - Allows creation of multiple additional volumes to an already existing record set. May be used after system initialization to create additional multiple volumes not created by the process.

NEW VOLUME CREATION - Allows creation of individual additional volumes to an already existing record set.

RE-CHARGE RECORDS - Used to record the transfer of charged out records from one in-house borrower to another.

TRANSFER RECORDS MENU

CREATE RECORD/VOLUME FOR TRANSFERRED RECORD - Used to create new records or additional volumes for records transferred from other VA facilities.

REQUEST A TRANSFER FROM ANOTHER INSTITUTION - Used to generate a Request for Transfer of Veterans Records (Form 70-7216a). This form is used to request patient records from other VA facilities.

RETURN TRANSFERRED RECORD - Used when a record which was transferred out to another VA medical center is returned to your facility. This option transfers back and reactivates a returned record.

TRANSFER RECORD TO ANOTHER INSTITUTION - Used to transfer records to other VA facilities. You may generate a Notice of Transfer of Veterans Record (Form 70-7216a) through this option.

Transaction Menu Charge-Out Records

This option is used to record necessary information when records are borrowed from their home file room by in-house users. Borrower information is displayed each time the associated Record Inquiry is accessed through the Record Tracking system. This option is intended primarily for charging records from a file room; however, it may also be used to recharge records when they are transferred to another borrower.

Use of the option is very straight-forward; a borrower is selected, record(s) are entered for chargeout, the system records the chargeout(s), either immediately or by queuing a background job, and the routine is complete. At the conclusion of a session, you may enter another borrower or exit the option. Borrowers and records may be entered via bar code label reader, keyboard entry, or a combination of both. Most often, you will probably use the bar code label reader as this is the fastest method.

Messages are displayed when the patient selected is an inpatient, there are pending requests for the record, the record has been flagged as missing, a loose filing indicator has been set for the record, the selected record is unavailable for transaction, the borrower is not an active borrower, etc. You may then be prompted to perform the necessary task associated with the record, patient or borrower. Through this option, records may also be automatically created when the patient name selected has no records in the Record Tracking system. These will be created according to site specifications.

Much of what occurs in this option depends upon your site's individual specifications made through the system definition. Security access may be a factor when dealing with missing records. Please refer to the Flag a Record as Missing option of this chapter for further detail.

Transaction Menu Charge-Out Records

```
______
[CHARGE-OUT OPTION]
Select Borrower: <WAND> 16/81 DAVID DOUGLAS MEDICAL ADMINISTRATION
**** MEDICAL ADMINISTRATION Folders Currently Charged to Borrower ****
______
Borrower : DAVID DOUGLAS
                                       Page: 1
Phone/Location: 243/22
                                     Run Date: MAY 11, 1987 14:36
______
 Record Type Vol Patient
                                Charged Since... Days Overdue
 MEDICAL RECORD V2 SMITH, MARK MAY 11, 1987 11:20
MEDICAL RECORD V1 MINGOLLA, JOHN MAY 11, 1987 09:49
 ADMINISTRATIVE F V1 HARRIS, HARVEY MAY 11, 1987 09:49
ADMINISTRATIVE F V1 REYNOLDS, SAMUEL MAY 7, 1987 15:10
Update Borrower Information:
PHONE #: 243// <RET> LOCATION/ROOM#: 22// <RET>
Select Record: <WAND> 500/2681 MARTIN, RAYMOND Type: MEDICAL RECORD (V1)
      SSN: 211-12-2121 Date of Birth: FEB 12, 1945
   Location: MAS FILE ROOM
                                   Phone/Room: 2111/301
______
  ...added to list to be charged out
Select Record: <WAND> 500/270B SHELDON, HOWARD
                                          Type: MEDICAL RECORD (V1)
                         Date of Birth: MAY 3, 1924
      SSN: \overline{221-21}-1212
   Location: MAS FILE ROOM
                                     Phone/Room: 2111/301
-----
  ...added to list to be charged out
Select Record: <WAND> 500/272D JONES, HENRY
                                          Type: MEDICAL RECORD (V1)
                      Date of Birth: JAN 1, 1901
      SSN: \overline{321-12}-3456
   Location: MAS FILE ROOM
                                      Phone/Room: 2111/301
  ...added to list to be charged out
Select Record: <RET>
 ...records have been QUEUED to be charged out to 'DAVID DOUGLAS'.
______
[CHARGE-OUT OPTION]
Select Borrower: <RET>
```

Transaction Menu Check-in Records

The Check-in Records option is used to record the return of borrowed records to their home file room. The system records the record being returned as well as the date/time of return. The associated Short Record Inquiry will then reflect the home file room as the current borrower each time it is accessed through the Record Tracking system.

Records may be entered for check-in either by wanding the bar code label or entering the patient's name using standard conventions. The bar code reader is the fastest method and it is recommended you use it whenever possible, especially when checking in multiple records.

In order to maintain optimum control over records, the option has been designed to account for a variety of factors specific to the record selected. Messages may be displayed when the loose filing indicator has been set for a record, the patient is an inpatient, a missing flag has been set, pending requests exist, etc. You may be prompted to perform the necessary task associated with the record. Through this option records may be automatically created when no records exist within the Record Tracking system for the patient entered. These records will be created in accordance with your site's specifications.

This option is not locked; however, the MAS/RAD FR STAFF KEY may be a factor depending upon your site's specifications. A site definable feature allows file rooms to be secured. Only holders of the MAS/RAD FR STAFF KEY may enter such file rooms as borrowers of records.

Transaction Menu Check-in Records

```
Select Record: <WAND> 500/263D CANFIELD, TOM Type: ADMINISTRATIVE FOLDER
    SSN: 000-01-0001 Date of Birth: JAN 1951
Location: DAVID DOUGLAS Phone/Room: 500/349/22
  ...added to list to be checked in
Select Record: <WAND> 500/264E SEAVER, HANK
                                              Type: MEDICAL RECORD (V1)
       SSN: 000-00-1111 Date of Birth: JAN 1, 1950
    Location: TEST ROOM
                                      Phone/Room: 4307/2
______
  ...added to list to be checked in
                                             Type: MEDICAL RECORD (V1)
Select Record: <WAND> 500/266G BARNES, JACK
                             Date of Birth: NOV 23, 1928
       SSN: 000-02-0002
    Location: TEST ROOM
                                      Phone/Room: 4307/2
   ...added to list to be checked in
Select Record: <WAND> 500/269J WALSH, ERIC
                                              Type: ADMINISTRATIVE FOLDER
       SSN: 000-00-2222 Date of Birth: FEB 12, 1945
    Location: ELIGIBILITY
                                       Phone/Room:
  ...added to list to be checked in
Select Record: <WAND> 500/328E SMITH, RANDALL
                                              Type: ADMINISTRATIVE FOLDER
       SSN: 000-03-0003 Date of Birth: MAY 3, 1924
                                      Phone/Room:
    Location: ELIGIBILITY
   ...added to list to be checked in
Select Record: <WAND> 500/212G BAXTER, JOHN Type: MEDICAL RECORD (V1)

        SSN:
        000-00-3333
        Date of Birth: FEB 3, 1915

        cation:
        SURG
        Phone/Room: 243/22

   Location: SURG
   ______
   ...added to list to be checked in
Select Record: <WAND> 500/286J THOMPSON, JERRY Type: MEDICAL RECORD (V1)
       SSN: 000-04-0004 Date of Birth: MAR 3, 1930
   Location: 7A(NHCU)
                                    Phone/Room:
_____
   ...added to list to be checked in
Select Record: <RET>
  ...records have been QUEUED to be checked in to 'MAS FILE ROOM'.
```

Transaction Menu Create a Label/Record/Volume

The Create a Label/Record/Volume option is used to print bar code labels and/or create new records or additional volumes for specified patients. You may use it to create records and associated bar code labels for patients new to the system or to create additional records/volumes and associated bar code labels for patients already in the system. You may also use it to print bar code labels for existing records. This option is not intended for initialization purposes, as it works on a patient-by-patient basis. The Computer Site Manager's Initialization Menu is provided for that purpose.

Only patients already in your database may be entered. For all patients, records will be created according to site parameters defined for the application (MAS/Radiology) you are working with.

For new patients, records will be created according to your site's specifications for initial record creation. For example, if you are creating a medical record for a new patient in MAS, and your site has defined administrative records "linked" with medical records through the Type of Record Set-up option in the System Definition Menu, the system would also automatically create an administrative record. This would apply only to patients not already in the system.

For patients already in the system, you may specify one record/volume at a time and will be given the opportunity to transfer pending requests for the record type being created to the newest volume.

For each record/volume created, the system will assign a record identifier number, prompt for home location and current borrower/file room, and print a bar code label.

Transaction Menu Create a Label/Record/Volume

Example

The second entry is a sample of what may occur when an Administrative record has been defined as "linked" to a Medical record through your site parameters.

Select PATIENT: S7340 SULLIVAN, TOM 01-23-44 224244242 Searching for a PATIENT SULLIVAN, TOM 01-23-44 224244242

Do you want the PATIENT 'SULLIVAN, TOM' as your answer? Yes// <RET>

**** MEDICAL ADMINISTRATION Profile ****

Name : SULLIVAN, TOM (224-24-4242) Page: 1
Birth Date: JAN 23, 1944 Run Date: JUN 22, 1987 11:17

(FRANK MARVIN) (500/285H)

______ 2 ADMINISTRATIVE F V1 MAS FILE ROOM MAY 12, 1987 10:42 472-4307/SUITE

Select Labels from List: 2

...label for record $\#3\overline{2}5$ has been queued to print on device A143

Select PATIENT: SMITH, DAN 02-22-22 321211234

Searching for a $\overline{\text{PATIENT}}$ SMITH, DAN 02-22-22 321211234

Do you want the PATIENT 'SMITH, DAN' as your answer? Yes// <RET>

*** MEDICAL ADMINISTRATION Profile ****

Name : SMITH, DAN (321-21-1234) Page: 1

Birth Date: FEB 2, 1922 Run Date: JUN 22, 1987 11:17 ______

No 'MEDICAL ADMINISTRATION' records on file.

Do you wish to create a new record or volume? No// Yes

Transaction Menu Create a Label/Record/Volume

Transaction Menu Patient Charge Out

The Patient Charge-Out option is used to record a patient as the borrower of his/her own record(s). You may wish to use this option for patients carrying their x-rays to an outside physician. The system records the patient as the borrower of the record along with the date/time of charge-out, entering this information into the patient's movement history. This information is displayed each time the associated record inquiry or Short Record Inquiry is accessed through the system. You will also be given the opportunity to enter a comment pertaining to the charge-out if you wish. This comment will be displayed each time the patient's Short Record Inquiry is accessed through the system until such time as the record is checked back in.

The option provides for several other occurrences such as removal of missing flags and creation of records for patients not having any records in the system.

Example

```
**** RADIOLOGY RECORD Profile ****

Name : BALLARD,LINDA (555-00-0999) Page: 1
Birth Date: AUG 23, 1920 Ward: 8C Run Date: JUL 16, 1987 11:10

Record Type Vol Current Borrower Date Charged Phone/Room #

1 MASTER FOLDER V1 RAD FILE ROOM JUN 23, 1987 08:28 472-4307/SUITE

2 CHEST FILMS V1 RAD FILE ROOM JUN 22, 1987 10:39 472-4307/SUITE

Select BALLARD,LINDA's Records from List: 1

TEMPORARY COMMENT: Patient carrying x-rays to private physician
```

...record has been charged out to the patient

Transaction Menu Update Record's Attributes

The Update Record's Attributes option is used to make changes to the following specific record data: loose filing indicator, home location and retirement status. Each of these fields will already have a default value which has been assigned by the system (unless changes have previously been made). The first field will be the loose filing indicator which will have a default of NO. Its purpose is to inform users that loose filing (such as laboratory reports, progress notes, correspondence, etc.) exists for a specific record. When this field is set to YES, a message is displayed advising loose filing exists whenever the record is selected for check-in to its home location. It should be set back to NO after the loose filing has been entered into the record.

The home location is assigned to a record when it is created. The location assigned will be in accordance with site specifications. This may be changed through this option; however, the new home location entered must be set up through site specifications to handle the record type you are working with and also tied in with the application you are working with.

When records are created by the system, they are automatically assigned a retirement status of OK TO RETIRE. The REASON NOT TO RETIRE field is used to make changes to this status. This retirement status will be reflected on the Record Inquiry which should always be checked prior to retiring a record.

Transaction Menu Update Record's Attributes

Example

Select Record: <WAND> 500/459H BARTON, FRED Type: MEDICAL RECORD (V1)

SSN: 111 22 3333 Date of Birth: JAN 1, 1940 Location: DERMATOLOGY Phone/Room: 221/807

Update Record's Attributes: MEDICAL RECORD Vol:1

Name : BARTON, FRED (111223333) Page: 1

Birth Date: JAN 1, 1940 Run Date: NOV 27, 1987 09:51

Current : DERMATOLOGY Phone : 221 Home : MAS FILE ROOM Since : NOV 24, 1987 09:01 Location: 807 Phone: 472-4307

LOOSE FILING INDICATOR: NO// <RET>

HOME LOCATION: MAS FILE ${\tt ROOM}//$ OPT CLINIC OPT CLINIC FILE ROOM

...OK? YES// <RET> MEDICAL ADMINISTRATION

REASON NOT TO RETIRE RECORD: OK TO RETIRE// <RET>

Do you want to check in the record to the new home file room? No//YES

...record has been checked in

Select Record: SHELDON, HOWARD 01-20-49 221211212

**** MEDICAL ADMINISTRATION Profile ****

______ Name : SHELDON, HOWARD (221211212)

Page: 1

Birth Date: JAN 20, 1949 Run Date: NOV 27, 1987 09:53 ______

Record Type Vol Current Borrower Date Charged Phone/Room # 1 MEDICAL RECORD V1 CARDIOLOGY NOV 24, 1987 10:42 4211/453

2 ADMINISTRATIVE F V1 MAS FILE ROOM MAY 12, 1987 10:42 472-4307

Select SHELDON, HOWARD's Records from List: 1

Update Record's Attributes: MEDICAL RECORD Vol:1

Name : SHELDON, HOWARD (221211212) Page: 1

Birth Date: JAN 20, 1949 Run Date: NOV 27, 1987 09:53

Current : CARDIOLOGY Phone : 4211 | Home : MAS FILE ROOM | Since : NOV 24, 1987 10:42 Location: 453 | Phone: 2111

LOOSE FILING INDICATOR: NO// YES HOME LOCATION: MAS FILE ROOM// <RET>

REASON NOT TO RETIRE RECORD: OK TO RETIRE// <RET>

Transaction Menu Delete a Record

The Delete a Record option is used to delete a record from the system. It is intended for use in those cases where a record was created erroneously or perhaps a multi-volume set is consolidated.

The system only allows deletion of most recent volumes of a record set; i.e., you will not be able to delete Volume 2 of a 6 volume set. Record entry may be made either by wanding of the bar code label or entry of the patient's name. Prior to deleting the record, you will be given the opportunity to move requests to the next lower volume number of the record type being deleted. When a record is deleted, all associated requests for the record, missing record log entries and movement history log entries are also deleted. A MailMan message will be generated advising the record has been deleted. This message goes to the same mail group that receives messages on missing or found records.

```
Select Record: SHELDON, HOWARD 01-20-49 221211212
               **** MEDICAL ADMINISTRATION Profile ****
______
Name : SHELDON, HOWARD (221211212)
                                          Page: 1
Birth Date: JAN 20, 1949
                                      Run Date: NOV 27, 1987 09:53
______
 Record Type Vol Current Borrower Date Charged Phone/Room #
                --- ------
1 MEDICAL RECORD V1 CARDIOLOGY NOV 24, 1987 10:42 4211/453
______
2 ADMINISTRATIVE F V1 MAS FILE ROOM MAY 12, 1987 10:42 472-4307
3 ADMINISTRATIVE F V2 MAS FILE ROOM NOV 27, 1987 09:51 472-4307
Select SHELDON, HOWARD's Records from List: 3
Pending Requests can be transferred to Record/Volume ,1
      Transfer Requests to Volume '1' ? No// YES
Record Chosen: SHELDON, HOWARD'S MEDICAL RECORD [Volume: 1]
Deletion of this record will also cause the following to be deleted:
        - any requests for the record
        - any missing record log entries
       - all movement history log entries
Are you sure you want to delete this record? No// YES
Deletion process beginning...
        ...deletion complete
```

Transaction Menu Flag Record as Missing

The Flag Record as Missing option is used to assist in locating records which have been deemed lost within a facility. Missing flags may be placed on (or removed from) such records through this option. When such a flag is placed on a record, a MailMan message is generated to a group of users specified through your site parameters. This message advises the record is missing, giving patient name, record type and volume number. Users may then search their work area for the missing record. The associated Record Inquiry will reflect the record as missing. Records which have been flagged as missing may not be processed through other options until the flag is removed.

In order to enter this option, you must hold the RT MAS/RAD-FR-SUPERVISOR key. Removal of a missing flag may be done through other options within the system and the action will vary depending upon site parameters. Site parameters for removal of a flag may be set in one of two ways; any user may remove a missing flag from a record when it is accessed through other options or only the holder of the RT MAS/RAD-FR-SUPERVISOR key may remove such a flag. This parameter is set for all record types within an application; therefore, the action may differ between record types within the same application.

When the parameter is set such that any user may remove a flag and a missing record is selected for processing, the user will be prompted through the process of removing the flag. The record will then be deemed "found pending supervisor approval". The supervisor (or designee) will review the finding and approve/disapprove the removal of the missing flag using this option. When a missing record is selected for which only a holder of the RT MAS/RAD-FR-SUPERVISOR key may remove the flag, a message will be displayed to the user advising that the record is missing, and no further processing will be allowed. The appropriate holder of the RT MAS/RAD-FR-SUPERVISOR key will receive a MailMan message advising that an attempt was made to process the record. The holder of the RT MAS/RAD-FR-SUPERVISOR key may then review the attempt and remove the flag using this option.

Transaction Menu Flag Record as Missing

Example

Select Missing Record: CARNEGIE, MICHAEL FEB 2, 1922 **** MEDICAL ADMINISTRATION Profile **** ______ Name : CARNEGIE, MICHAEL (333-22-4444) Page: 1 Birth Date: FEB 2, 1922 Run Date: NOV 30, 1987 08:52 ______ Record Type Vol Current Borrower Date Charged Phone/Room # 1 MEDICAL RECORD V1 CARDIOLOGY NOV 24, 1987 10:42 4211/453 ______ 2 ADMINISTRATIVE F V2 MAS FILE ROOM MAY 12, 1987 10:42 472-4307 3 ADMINISTRATIVE F V1 MAS FILE ROOM NOV 27, 1987 09:51 472-4307 Select CARNEGIE,MICHAEL's Record from List: 1 Are you sure you want to flag this record as missing? No// YES SUPERVISOR COMMENTS: 1>Record needed immediately for followup due to abnormal lab results. 2> EDIT Option: <RET> ...record has been flagged as missing Select Missing Record: <WAND> 500/939B CARNEGIE, MICHAEL Type: MEDICAL RECORD (V1) Date of Birth: FEB 2, 1922 SSN: 333-22-4444 Location: ***MISSING*** Phone/Room: This record is already flagged as missing. Do you want to remove the 'missing' flag on this record? No// YES Where was the record found? CORRESPONDENCE UNIT CORRESPONDENCE MAS ...OK? YES// <RET> (YES) MEDICAL ADMINISTRATION REASON RECORD WAS MISSING: NOT RECHARGED SUPERVISOR COMMENTS: 1>Record needed immediately for followup due to abnormal lab results. EDIT Option: <RET> ...missing flag has been removed There is at least one request pending for CARNEGIE, MICHAEL'S MEDICAL RECORD V1. Do you want to fill a pending request? No// <RET>

Transaction Menu Flag Record as Missing

This is an example of the MailMan message which is generated when a record is flagged as missing. It is sent to all members of whatever mail group is specified to receive such messages through your RECORD TRACKING site parameters.

SUBJ: AN ADMINISTRATIVE RECORD has been flagged as MISSING 03 DEC 87 12:08

9 Lines

From: SMITH, HOWARD (ALBANY ISC) in 'IN' basket.

The following record has been flagged as missing:

Name : SHELDON, HOWARD

Type of Record : ADMINISTRATIVE RECORD

Volume : 1

If you find this record please call MEDICAL ADMINISTRATION or respond to this message.

Thank you.

This is an example of the MailMan bulletin which is generated when a missing flag is removed from a record by a user other than one holding the FR SUPERVISOR KEY. This message is the same when a holder of the FR SUPERVISOR KEY approves the removal of a missing flag by another user, except the "STATUS of missing record" will be FOUND instead of FOUND/SUPERVISOR APPROVAL PENDING.

Subj: Missing ADMINISTRATIVE RECORD has been FOUND 08 Dec 87 10:16 12

From: DOUGLAS, DAVID (ALBANY ISC) in 'IN' basket.

The MEDICAL RECORD (V1) for SHELDON, HOWARD (221211212) was found.

The following is information concerning the finding of the record:

-WHO entered the record as found : DOUGLAS, DAVID

-BORROWER who had missing record : CORRESPONDENCE UNIT

-PHONE #/Physical LOCATION : 234/22B
-WHEN was the record found : DEC 8, 1987 10:15
-STATUS of missing record : FOUND/SUPERVISOR APPROVAL PENDING
-MOVEMENT attempted when found : CHECK-IN

For more information use the 'Record Inquiry' option of the 'Record Information' menu.

Transaction Menu Inactivate/Reactivate Records

The Inactivate/Reactivate Records option is used to render a record unavailable/available for transaction within the Record Tracking system. It may be used when records are retired, or perhaps in those instances when it is necessary for a borrower to retain a record for an extended period of time (i.e., for research purposes). Such a record will not appear on the Overdue Records List.

Inactivation of a record makes it unavailable to other users to request, charge-out, check-in, re-charge, etc. It will, however, appear on the Record Inquiry option of the Record Information Menu as inactive.

Records may be inactivated as well as reactivated through this option. If you choose to inactivate the record, you will be prompted for a borrower to which the record should be inactivated. Your entry at this prompt may be a borrower who will be retaining the record for an extended period or your file room.

If you are retiring the record and wish to transfer it to the appropriate Record Processing Center, use the Transfer Records option of the Transaction Menu.

When a record is reactivated, it is automatically charged to the location associated with the user performing the reactivation; usually, its home file room.

Following selection of movement type and borrower (if applicable), you will be prompted to select the record. The system will only allow you to select a record appropriate to the movement type selected. In other words, you will not be permitted to inactivate an already inactive record. If record selection is made by entering the patient's name, only those records appropriate to the movement type selected will be displayed on the patient's Short Record Inquiry.

Multiple records may be entered during a session. Dependent upon the number entered and your site's parameters, they will either be inactivated/re-activated upon exiting the option or queued for action later.

Transaction Menu Inactivate/Reactivate Records

Example

Select Movement Type: <u>IN</u>ACTIVATE RECORD MEDICAL ADMINISTRATION ______ [INACTIVATE RECORD OPTION] Select Borrower: RPC RPC ST. LOUIS ...OK? YES// <RET> (YES) RECORD PROCESSING CENTER Select Record: <WAND> 500/939B CARNEGIE, MICHAEL Type: MEDICAL RECORD (V1) Date of Birth: FEB 2, 1922 SSN: 333-22-4444 Location: MAS FILE ROOM Phone/Room: 2111/301 ...added to list to be inactivated Select Record: <WAND> 500/940B CARNEGIE, MICHAEL Type: ADMINISTRATIVE FOLDER SSN: 333-22-4444 Date of Birth: FEB 2, 1922 Location: MAS FILE ROOM Phone/Room: 2111/301 ______ ...added to list to be inactivated Select Record: $\frac{\text{WAND}}{500/178\text{H}}$ RAFFERTY, PETER Type: MEDICAL RECORD (V1) Date of Birth: MAR 25, 193 Date of Birth: MAR 25, 1921 Location: MAS FILE ROOM Phone/Room: 2111/301 ...added to list to be inactivated Select Record: <WAND> 500/179H RAFFERTY, PERER Type: ADMINISTRATIVE FOLDER SSN: 123-12-4567 Date of Birth: MAR 25, 1921 Phone/Room: 2111/301 Location: MAS FILE ROOM Select Record: <RET> ...records have been QUEUED to be inactivated to 'ST. LOUIS RPC'

Transaction Menu Move Requests to Last Volume

This option is used to transfer all pending requests to the most recent volume when an additional volume has been added to a patient's record set.

You will be prompted for the desired record. Only active records may be selected; then, only the last volume of a multiple volume set may be selected for the patient entered. You will then be asked if you wish to transfer all pending record requests to that volume.

Example

Select Record: STACK, NORMAN 04-14-45 324938402

```
**** MEDICAL ADMINISTRATION Profile ****
```

Name : STACK,NORMAN (324-93-8402) Page: 1

Birth Date: APR 14,1945 Run Date: JUN 19, 1988 10:21

	Record Type	Vol	Current Borrower	Date Charged	Phone/Room #
	MEDICAL RECORD MEDICAL RECORD	. –	MAS FILE ROOM	· · · · · ·	10:21 472-4397/SUITE 09:40 472-4307/SUITE
<u>_</u>	MEDICAL RECORD		MAS FILE ROOM	JUN 19, 1988	
2	ADMINISTRATIVE F	V1	MAS FILE ROOM	JUN 19, 1987	10:21 472-4307/SUITE

Select STACK, NORMAN's Record from List: 1

Record Chosen: STACK, NORMAN'S MEDICAL RECORD [VOLUME:2]

Pending Requests will be transferred to last Record/Volume just selected Transfer Requests to volume '2'? No// \underline{Y} es

Transaction Menu Multiple New Volume Creation

The Multiple New Volume Creation option allows creation of multiple additional volumes to an already existing record set and transfer of pending requests to the latest volume created. For the most part, this option is intended for use in conjunction with your initialization process to create additional volumes for those patients having more than one volume of a record type. The initialization process only creates one volume of the record type(s) specified in the site parameters. This option allows you to create up to six additional volumes of a record type.

You may only create additional volumes of record types for which the patient already has Volume #1. Should you wish to create Volume #1 of a record type, you should use the Create a Label/Record/ Volume option of the Transaction Menu.

The home location and current borrower/file room will be prompted for each record created. Defaults, as defined through your site parameters, will be displayed for these fields. Following this, the system automatically assigns a record identifier number and prints a corresponding bar code label on the default device defined through your site parameters. You will then be prompted to transfer pending requests for the record type created to the latest volume.

Transaction Menu Multiple New Volume Creation

Example

Select PATIENT: BANKER, HOWARD EDWARD 03-05-31 483293837 Highest Volume Number Record Type -----_____ MEDICAL RECORD 2 ADMINISTRATIVE FOLDER Select Record Type: MEDICAL RECORD Create MEDICAL RECORD Volumes starting with # 3? No// YES Enter the Highest volume to create, Volume #3?// 4 MEDICAL RECORD Creation: ______ HOME LOCATION: MAS FILE ROOM// SATELLITE SATELLITE FILE ROOM ...OK? YES// <RET> CURRENT BORROWER/FILE ROOM: MAS FILE ROOM// <RET> ASSOCIATED BORROWER: JOHN SMITH
SMITH, JOHN
ONE: YES// <RET> (YES)

MEDICAL ADMINISTRATION
VOL: 3' created (#698) ...label for record #698 has been queued to print on device A143 MEDICAL RECORD Creation: HOME LOCATION: MAS FILE ROOM// SATELLITE SATELLITE FILE ROOM ...OK? YES// <RET> CURRENT BORROWER/FILE ROOM: MAS FILE ROOM// <RET> ASSOCIATED BORROWER: JOHN SMITH SMITH, JOHN ...OK? YES// <RET> (YES) MEDICAL ADMINISTRATION
...'MEDICAL RECORD' VOL: 4' created (#699) ...label for record #699 has been queued to print on device A143 Pending requests can be transferred to last Record/Volume just created. Transfer Requests to volume '4' ? No// YES . . . Select PATIENT:

Transaction Menu New Volume Creation

The New Volume Creation option is used to create individual additional volumes to a patient's already existing record set. You may wish to use it when the file room creates an additional folder for a patient or perhaps in conjunction with the system initialization process to create an additional volume not created during initialization. The Record Tracking initialization process only creates one volume of each record type specified through site parameters. If it is necessary to create initial records for a new patient or multiple additional volumes, the following options on the Transaction Menu should be used: Create a Label/Record/Volume or Multiple New Volume Creation.

The system will only accept record types for which the patient already has Volume #1. The home location and current borrower/file room will then be prompted with your site's specified defaults displayed for acceptance. Record Tracking will automatically assign a Record Tracking identifier number and print a bar code label for the record created. You may transfer pending record requests for that record type to the last volume created.

```
Select PATIENT: RICHARDS, PHILLIP
                                    05-03-12 123456789
                          Highest Volume Number
    Record Type
    MEDICAL RECORD
    ADMINISTRATIVE FOLDER
Select Record Type: MEDICAL RECORD
Do you want to create MEDICAL RECORD VOL # 3? No// YES
MEDICAL RECORD CREATION:
HOME LOCATION: MAS FILE ROOM//<RET>
CURRENT BORROWER/FILE ROOM: MAS FILE ROOM//<RET>
 ...'MEDICAL RECORD
                                     VOL: 3' created (#722)
  ..label for record #722 has been queued to print on device A143
Pending requests can be transferred to last Record/Volume just created.
       Transfer Requests to volume '3' ? No// YES . . . . .
Select PATIENT: <RET>
```

Transaction Menu Re-Charge Records

The Re-Charge Records option is used to record transfer of those records charged from the file room from one borrower to another. It is for use with in-house borrowers only. Transfer of records to other institutions should be entered through the Transfer Records option. The system records the new borrower, location/phone and date/time of re-charge. This information is displayed each time the associated record inquiry is accessed through the Record Tracking system.

Upon exiting the option, the records will either be re-charged immediately or queued for re-charge depending upon site parameters and the number of records entered during the session.

Missing flags may be removed thru this option and records may be created for patients already in your database but having no records in the Record Tracking system. These will be created in accordance with site specifications for initial creation of records.

```
______
[RE-CHARGE OPTION]
Select Borrower: <WAND> 44/150 PLASTIC CLINIC SURGICAL SERVICE
Select Record: <WAND> 500/179H RAFFERTY, PETER Type: MEDICAL RECORD

SSN: 123-12-4567 Date of Birth: MAR 25, 1921
   Location: DERMATOLOGY
                                       Phone/Room: 3542/218A
  ...added to list to be re-charged
Select Record: <WAND> 500/270B SHELDON, HOWARD Type: MEDICAL RECORD (V1)
                             Date of Birth: JAN 20, 1949
      SSN: 221-21-1212
   Location: DERMATOLOGY
                                       Phone/Room: 3542/218A
______
  ...added to list to be re-charged
Select Record: <WAND> 500/268I MARTIN, RAYMOND Type: MEDICAL RECORD (V1)
SSN: 211-12-2121 Date of Birth: FEB 2, 1937
Location: DEPMATOLOGY Phone/Room: 3542/218A
                                       Phone/Room: 3542/218A
   Location: DERMATOLOGY
______
  ...added to list to be re-charged
Select Record: <WAND> 500/179H RAFFERTY, PERER Type: MEDICAL RECORD (V1)
                            Date of Birth: MAR 25, 1921
     SSN: 123-12-4567
                                       Phone/Room: 3542/218A
   Location: DERMATOLOGY
______
  ...already selected
Select Record: <RET>
 ...records have been QUEUED to be re-charged to 'PLASTIC CLINIC'.
______
[RE-CHARGE OPTION]
Select Borrower: <RET>
```

Transaction Menu Transfer Records Menu Create Record/Volume for transferred Record

The Create Record/Volume for transferred Record option is used to create new records or additional volumes for records received from another VA facility. You may use it to create records and associated bar code labels for patients new to the system or to create additional records/volumes and associated bar code labels for patients already in the system.

New records will be created according to your site's specifications for initial record creation. For example, if you are creating a new medical record for a patient in MAS and your site has defined administrative records "linked" with medical records through the Type of Record Set-up option in the System Definition Menu, the system would also automatically create an administrative record. This would apply only to records not already in the system.

For records already in the system, you may transfer pending requests for the record type being created to the newest volume.

For each record/volume created, the system will assign a record identifier number and a movement type of TRANSFER CREATE, prompt for a content descriptor (optional free text field 2-20 characters in length used to further describe the record), home location, and current borrower/file room.

Transaction Menu Transfer Records Menu Create Record/Volume for transferred Record

Example

This example shows what may occur when creating a new medical record for a record being transferred in from another site. The administrative record is also created as it was previously defined as a linked record through site parameters.

```
Select PATIENT: SMITH, DAN
Searching for a PATIENT SMITH, DAN
                                         02-22-22
                                                          321211234
Do you want the PATIENT 'SMITH, DAN' as your answer? Yes// <RET>
Do you wish to create a new record or volume? No// Yes
Select NEW Record Type: MEDICAL RECORD
MEDICAL RECORD Creation:
CONTENT DESCRIPTOR: FROM VAMC BATAVIA
HOME LOCATION: MAS FILE ROOM// <RET>
CURRENT BORROWER/FILE ROOM: MAS FILE ROOM// <RET>
  ...'MEDICAL RECORD VOL: 1' created (#430)
 ...label for record #430 has been queued to print on device A143
ADMINISTRATIVE FOLDER Creation:
CONTENT DESCRIPTOR: <RET>
HOME LOCATION: MAS FILE ROOM// <RET>
CURRENT BORROWER/FILE ROOM: MAS FILE ROOM// <RET>
  ...'ADMINISTRATIVE FOLDER VOL: 1' created (#431)
 ...label for record #431 has been queued to print on device A143
Select PATIENT: <RET>
```

Transaction Menu Transfer Records Menu Request a Transfer from another Institution

The Request a Transfer from another Institution option allows you to generate Form 70-7216a, "Request for and/or Notice of Transfer of Veterans Records". This form may be used to request patient records from a remote site. A remote site is any VA facility with which you exchange records.

You will be prompted to fill in only record information. Routing, remote mail group, and request notice printer information is defined by your site manager through the File Room/Remote Set-up option.

Once generated, the form is sent to the mail group and/or request printer at the remote site. A copy is also received by the requester via a MailMan bulletin.

Transaction Menu Transfer Records Menu Request a Transfer from another Institution

=======================================	:========	=========					
REQUEST FO	R TRANSFER OF	VETERANS RECO	RDS				
Station	Name	Number	Mail Routing Symbol				
la. BEDFORD	, MA		10BA1				
4. NAME (Last,First,Middle) KILL	IAN,MIKE						
5. [CN] 350471105		[SS] 350471	105				
6. [SN] 350471105							
8. TYPE OF TRANSFER []	Permanent	[X] Temporary					
11. TRANSFER CLAIMS FOLDER []							
12a. DATE OF TRANSFER 12b. REC. STAT. NO. 12c. TRF. STA. NO.							
13. OTHER FOLDER TRANSFER	MED HO	SP X-					
COUNSELING/TRAINING [] R&E [] INS [] SUBFOLDER [X] SPECIFY SPECIFY: EKG							
14. REASON FOR TRANSFER OR REMARKS Change of patient's residence.							
15. ADJUDICATION ACTION PEN	DING [] YES	[X] NO					
16. FROM (originating offic	e) ISC-ALBAN	Y					
17. DATE JUL 02, 1991@15:	40						
18. CHECK WHEN COPY 2 IS SE	NT TO TELECOM	[] UNIT					

Transaction Menu Transfer Records Menu Request a Transfer from another Institution

Supplement

The following is a list of data fields from the Request for Transfer of Veterans Records form with a brief description. Only fields that require user input are shown.

1a Station Name

Name of station you wish to request records from. You may send the request to multiple sites; therefore, this prompt will repeat (1b, 1c, etc.) until a <RET> is entered. Corresponding routing information is entered automatically from the File Room/Remote Set-up option in the Computer Site Manager's Menu.

NAME (Last, First, Middle)

Name of patient for which you are requesting records. Claim number, SSN (5a) and service number (6) are entered automatically.

TYPE OF TRANSFER

Choose Temporary (default) or Permanent.

TRANSFER CLAIMS FOLDER

YES/NO (default)

OTHER FOLDER TRANSFER

Enter the corresponding number(s) of the record types you wish to transfer.

REASON FOR TRANSFER OR REMARKS

Any remarks you wish to accompany the request. You are allowed two lines of free text.

ADJUDICATION ACTION PENDING

YES/NO (default)

DATE

Date of request. You may select a past date. NOW is the default.

CHECK WHEN COPY 2 IS SENT TO TELECOM [] UNIT

YES/NO

Transaction Menu Transfer Records Menu Return Transferred Record

The Return Transferred Record option is used when a record which was transferred out to another VA medical center is returned to your facility. This option transfers back and reactivates a returned record in the Record Tracking system.

If you answered YES to the "Do you want to use the file room's default devices? No//" prompt upon entering the Record Tracking system and a default device is defined through your site's parameters, any bar code labels you choose to print will be printed to that device. Otherwise when you choose to print a bar code label, you will be prompted for a device.

```
Select Record: JOHNSON, JAMES
Searching for a PATIENT JOHNSON, JAMES 04-05-47 555821648 SC VETERAN
Do you want the PATIENT 'JOHNSON, JAMES' as your answer? Yes// <RET>
              *** MEDICAL ADMINISTRATION Profile ****
Name : JOHNSON, JAMES (555-82-1648) Page: 1
Run Date: JUL 9, 1991@11:19
______
______
  Record Type Vol Current Borrower Date Charged
                                                 Phone/Room #
               --- ------
1 MEDICAL RECORD V1 O'NEIL, LOUIS JUL 7, 1987@15:38 2555/D333
______
                                 DEC 29, 1987@14:00 234/22
2 ADMINISTRATIVE F V1 JAMES, MICHAEL
Select JOHNSON, JAMES's Records from List: 1
  ...added to list to be transferred back
Select Record: LITTLE, G
Searching for a PATIENT LITTLE, GEORGE 12-30-44 307123044P NSC VETERAN
Do you want the PATIENT 'LITTLE, GEORGE' as your answer? Yes// <RET>
  ...ADMINISTRATIVE FOLDER V1
Would you like to print a barcode label? No// <RET>
  ...added to list to be transferred back
Select Record: <RET>
2 Selected records will now be transferred back......
  2 ...records have been transferred back to 'CENTRAL FILE ROOM'.
```

Transaction Menu Transfer Records Menu Transfer Record to another Institution

The Transfer Record to another Institution option is used to record the transfer of records to other VA facilities. You are allowed to enter a past date of transfer in order to update your records.

Once you have selected the institution you are transferring the records to, you are prompted to select the record(s) to be transferred. This prompt will repeat to allow you to transfer multiple records to the selected institution. At subsequent appearances of the "Select Record" prompt, you may enter a <?> for a list of records selected for transfer during this session. Any of the records displayed may be deleted by entering a minus sign <-> before the record number (-1342) at this prompt.

You also may generate a Notice of Transfer of Veterans Record (Form 70-7216a) through this option. **This form will not be generated if you enter a past date of transfer.** The 70-7216a is sent to members of the mail group and/or request printer at the remote site defined by your site manager through the File Room/Remote Set-up option. A copy is also received by the user performing the transfer function.

When completing the Notice of Transfer form, you will be prompted to enter the type of transfer, other folder type(s) you wish transferred, reason for transfer/remarks and the date of transfer. The station you are transferring the records to and the patient information is entered automatically by the system from your responses to previous prompts. Routing, remote mail group, and request notice printer information is defined by your site manager through the File Room/Remote Set-up option.

Transaction Menu Transfer Records Menu Transfer Record to another Institution

Example

OTHER VAMC MEDICAL ADMINISTRATION 1 Transfer Institution: ALBANY VAMC NEW YORK 500 YES *** MEDICAL ADMINISTRATION Folders Currently Charged to Borrower **** ______ Borrower : ALBANY VAMC Page: 1 Phone/Location: 5184623311 Run Date: JUL 11, 1991@08:20 ______ Record Type Vol PATIENT Charged Since... Overdue MEDICAL RECORD V1 3044 THOMAS, GEORGE JUL 10, 1991@16:32 0 ______ ADMINISTRATIVE F V1 0150 PASCHALL, VINCENT JUN 01, 1991@10:21 Update Borrower Information: PHONE #: 5184623311// <RET> LOCATION/ROOM#: <RET> _____ Enter the date of Transfer: NOW// <RET> (JUL 11, 1991@08:28) Select Record: JONES, SIDNEY 03-16-44 762726166 SC VETERAN Searching for a PATIENT JONES, SIDNEY Do you want the PATIENT 'JONES, SIDNEY' as your answer? Yes// <RET> *** MEDICAL ADMINISTRATION Profile **** ______ Name : JONES, SIDNEY (762-72-6166) Page: 1
Birth Date: MAR 16, 1944 Ward: 7A Run Date: JUL 11, 1991@08:41 ______ Phone/Room # Record Type Vol Current Borrower Date Charged --- ------1 MEDICAL RECORD V1 MAIN FILE ROOM JUL 19, 1988@14:51 233/121B ______ 2 ADMINISTRATIVE F V1 MAIN FILE ROOM DEC 29, 1987@08:48 233/121B Select JONES, SIDNEY's Records from List: 1 Would you like to print a barcode label? No// <RET> ...added to list to be transferred Select Record: <RET> 1 Selected record will now be transferred..... 1 ...record has been transferred to 'ALBANY VAMC'.

Transaction Menu Transfer Records Menu Transfer Record to another Institution

The following is a sample of the form/bulletin generated by this option.

NOTICE OF TRANSFER OF VE	======= ΓERANS RECORI	======)S.	:=======
Station Name	Number	Mail Rout	ing Symbol
<pre>la. ALBANY lb. lc.</pre>	500		10BA1
4. NAME (Last,First,Middle) JONES,SIDNEY			
	762726166		
6. [SN] 762726166			
8. TYPE OF TRANSFER [X] Permanent [
11. TRANSFER CLAIMS FOLDER []			
12a. DATE OF TRANSFER 12b. REC. STAT. JUL 11, 1991@08:14 500	NO. 12c.	TRF. STA	
13. OTHER FOLDER TRANSFER MED HOSI [] LG [] PG [] OPT [] REC [X] CORP			
COUNSELING/TRAINING [] R&E [] INS [] SUBFOLDER [] (spec	ify)		
14. Reason for Transfer or Remarks Change of patient's residence.			
15. ADJUDICATION ACTION PENDING [] YES	[] NO		
16. FROM (originating office) BUFFALO	· -		-
17. Date JUL 11, 1991@08:15	·		
18. CHECK WHEN COPY 2 IS SENT TO TELECOM			

Request Records Menu

The Request Records Menu provides the software necessary for individual users of the system to request records from their file room. Through this menu, records may be requested and requests may be filled, cancelled, edited, designated as "Not Fillable", displayed and printed.

Requests for records may be entered for a current or future date. Requests entered for current date will be printed on the default request printer specified for the record's home location (file room). Requests entered for future times may be accessed by printing of the Pending Request List option of the Management Reports Menu.

The Request Records Menu interfaces with the Pull List Functions Menu. Each entry on a pull list is also considered an individual request and may be accessed as such through this menu.

The following is a descriptive listing of the options contained in this menu.

CANCEL A REQUEST - Allows requests which have previously been entered to be cancelled from the system. Users must hold the RT MAS/RAD-FR-SUPERVISOR key in order to cancel requests.

DESIGNATE REQUESTS AS 'NOT FILLABLE' - Used by file room personnel when they are unable to fill a request for a record, such as when the requested record is unavailable.

DISPLAY REQUEST - Used to display a request for a record on the screen.

EDIT A REQUEST - Used to edit the data in a previously entered record request.

FILL A REQUEST - Used by file room personnel to charge-out (fill) a requested record to the requestor.

REPRINT A REQUEST NOTICE - Used to reprint a record request label.

REQUEST A RECORD - Used to enter a request for a record into the system. The four statuses associated with requested records are as follow.

CHARGED - Requested record has been charged to the requestor.

CANCELLED - Record request has been cancelled.

REQUESTED - Record request is still pending.

NOT FILLABLE - Not possible to fill the request; i.e., the record is unavailable.

Request Records Menu Cancel a Request

The Cancel a Request option is used to cancel a request for a patient's record. The user may cancel a single request, multiple requests or a range of requests for the same record. The request may be selected by patient name, request number or by wanding the request bar code label. If the request is selected by patient name, the system displays the Patient Profile and Short Record Inquiry. This inquiry is a list of the requestable records for that patient in that application. After the desired record is selected, a request profile will be displayed for that record. This includes the current location of the record, the home file room of the record, recent pending requests, etc. If the request to be cancelled is selected by request number or by wanding the request bar code label, an abbreviated display will appear providing data specific to that request only.

Holders of the RT MAS/RAD-FR-SUPERVISOR security key may cancel requests made by other users in their application. Users not holding this security key may only cancel their own requests.

When a request is cancelled, a cancellation bulletin can be sent to a mail group, the file room request printer or both. This is defined through the Application Set-Up (Site Mgr) option.

Example

Select Request: MANETTI, LAWRENCE 3-23-47 334556778

**** RADIOLOGY Profile ****

Birth Date: MAR 23, 1947 Run Date: DEC 14, 1987 09:06

	Record Type	Vol	Current Borrower	Date Charged	Phone/Room#
1	MASTER FOLDER	V1	MAIN FILE ROOM	MAR 17, 1987 13:23	444/609B
2	CHEST FILMS	V1	MAIN FILE ROOM	JUN 29, 1987 15:12	444/609B

Select MANETTI, LAWRENCE's Record from List: 1

Request Records Menu Cancel a Request

**** Request Profile for MASTER FOLDER Vol: 1 ****

Name : MANETTI, LAWRENCE (334-55-67 Page: 1

Birth Date: MAR 23, 1947 Run Date: DEC 14, 1987 09:06

Current : MAIN FILE ROOM Phone: 444 | Home : MAIN FILE ROOM | Since... : MAR 17, 1987 13:23 | Location: 609B | Phone: 444

[* pull list request]

Record Requestor Date Needed Phone/Room# Request#

1 MF1 BAILEY, CHARLOTTE DEC 16, 1987 707/SUITE 235 33

Choose Request from List: 1

Are you sure you want to cancel this request? No// $\underline{Y}ES$...request #33 has been cancelled.

Request Records Menu Designate Requests As 'Not Fillable'

The Designate Requests as 'Not Fillable' option is used by file room personnel to specify requests for patients' records as not fillable. Conversely, requests with a status of NOT FILLABLE may be changed to REQUESTED through this option. A request may not be fillable due to the record being charged to another borrower, record missing, etc.

Requests designated as NOT FILLABLE will still appear on the Pending Request List, the Requests Pending for Borrowers List and will also still appear as a pending request under Request a Record option.

When request selection is made by entering a patient's name, the system displays the Patient Profile and Short Record Inquiry. This inquiry is a list of the patient's requestable records in that application. If a record has been inactivated or transferred out, it will not appear in the inquiry. After the record is selected, a request profile will be displayed for that record listing the requests which may be chosen. The user may designate a single request, multiple requests or a range of requests for each patient selected.

If the request is selected by entering the request number or by wanding the request bar code label, only the data associated with that particular request will be displayed.

Select Request:	MANETTI,	LAWRENCE	3-23-4	7 33	34556778			
	**** RADIOLOGY Profile ****							
Name : MANETTI, LAWRENCE (334-55-6778) Page: 1 Birth Date: MAR 23, 1947 Run Date: DEC 14, 1987 09:06								
Record Type	Vol	Current Bor	rower Dat	e Charged		Phone/Room#		
1 MASTER FOLDER	V1	MAIN FILE R	ROOM MAR	17, 1987	13:23	444/609B		
2 CHEST FILMS	V1	MAIN FILE R	ROOM JUN	29, 1987	15:12	444/609B		
Select MANETTI, LAWRENCE's Record from List: 1								

Request Records Menu Designate Requests As 'Not Fillable'

	**** Request	Profile for MASTE	R FOLDER Vol: 1 ****	
	MANETTI,LAWRENCE (334 MAR 23, 1947	-55-6778)	Page: 1 Run Date: DEC 14, 19	987 09:06
		Phone: 444 Location: 609B	Home : MAIN F Phone: 444	FILE ROOM
Record	Requestor	Date Needed	[* pull list Phone/Room#	request] Request#
1 MF1	BAILEY, CHARLOTTE		707/SUITE 235	33
	tus of request is 'REQU		===========	=======

Do you want to change status to 'NOT FILLABLE' ? Yes// $\langle \text{RET} \rangle$

Request Records Menu Display Request

The Display Request option is used to display the data associated with a particular request for a patient's record. The option has only one prompt, "Select Request". The user may enter the patient's name, the date of the request to be displayed, a backarrow (') plus request number or may wand the request bar code label.

If the request is selected by entering the patient's name and the patient has more than one record which has a pending request, the system will display a list of those records providing the following information: record type, patient's social security number and date of birth, record location, phone and room number. After the correct record is chosen, all the pending requests for that record will be displayed. Upon selecting the desired request, the data associated with that request will be displayed. This may include such information as patient name, date/time requested, user requesting record, date/ time record needed, requestor, request status, date/ time current status, user responsible for status, date request last printed, etc.

If the record selected has only one pending request or if the request is selected by any of the other available methods, the system will ask for confirmation that this is the desired request and then display the data associated with that request.

Following is a brief explanation of some of the data items which may appear in the request display:

Requestor borrower

User Requesting Record person actually making keyboard entry

Request Status Requested, not yet filled

Charged, request filled

Not Fillable Cancelled

Pull List name and date of pull list where this

request appears

Parent Request request being displayed is in conjunction

with another request (parent) in accordance with site parameters

Request Records Menu Display Request

Example

Select Request: DION, MICHELE 05-23-50 555099088 ...OK? YES// <RET> (YES) Type: ADMINISTRATIVE FOLDER Date of Birth: MAY 23, 1950 SSN: 555-09-9088 Location: TROY MAS FILE ROOM Phone/Room: 455-5555/Suite 308 Type: MEDICAL RECORD (V1) SSN: 555-09-9088 Date of Birth: MAY 23, 1950
Location: TROY MAS FILE ROOM Phone/Room: 455-5555/Suite 308 ______ Type: MEDICAL RECORD Date of Birth: MAY 23, 1950
Location: CARDIOLOGY CLINIC Phone / Poor : 000 (7) Type: MEDICAL RECORD (V2) Phone/Room: 233/ROOM 458B CHOOSE 1-3: <u>2</u> REC#: 765 REQ#: 12 Requestor: JOHNSON, MARK Date Needed: JAN 4, 1988 14:30 2 REC#: 765 REQ#: 23 Requestor: JOHNSON, MARK Date Needed: JAN 11, 1988 3 REC#: 765 REQ#: 38
Requestor: DERMATOLOGY CLINIC Date Needed: JAN 7, 1988 09:00 4 REC#: 765 REQ#: 47 Date Needed: JAN 30, 1988 13:15 Requestor: GENERAL MEDICAL CLINIC CHOOSE 1-4: 3 NAME: DION, MICHELE DATE/TIME REQUESTED: DEC 29, 1986 07:30 USER REQUESTING RECORD: VAN PELT, LUCY DATE/TIME RECORDED NEEDED: JAN 7, 1988 09:00 REQUESTOR: DERMATOLOGY CLINIC REQUEST STATUS: REQUESTED DATE/TIME CURRENT STATUS: DEC 29, 1986 07:30 USER RESPONSIBLE FOR STATUS: VAN PELT, LUCY PULL LIST: DERMATOLOGY [01/07/88] DATE REQUEST LAST PRINTED: JAN 1, 1988 14:03

Request Records Menu Edit a Request

The Edit a Request option is used to edit data associated with a request for a patient's record. Only the date/time needed and requestor may be edited.

When request selection is made by entering a patient's name, the system displays the Patient Profile and Short Record Inquiry. This inquiry is a list of the patient's requestable records in that application. If a record has been inactivated or transferred out, it will not appear in the inquiry. After the record is selected, a request profile will be displayed for that record listing the requests which may be edited. Requests from pull lists and requests which have been printed may not be edited. The user may edit a single request, multiple requests or a range of requests for each patient selected.

If the request is selected by entering the request number, only the data associated with that particular request will be displayed.

Users with the RT MAS/RAD-FR-SUPERVISOR security key may edit requests made by other users within their application. Users not holding this security key will only be able edit their own requests.

Select Request: JAMES	SON, PARKER	10-24-	47 011022033			
*:	*** MEDICAL ADMIN	ISTRATION Profile	***			
Name : JAMESON, PARKER (011-02-2033) Page: 1 Birth Date: OCT 24, 1947 Run Date: DEC 24, 1987 13:39						
Record Type		rrower Date Charge	ed Phone/Room #			
- 1 MEDICAL RECORD	V1 MAIN FILE F		37 13:56 456/Suite 999			
2 ADMINISTRATIVE RECOR	V1 MAIN FILE F					
Select 'JAMESON, PARKER's Records from List: 1						

Request Records Menu Edit a Request

**** Request Profile for MEDICAL RECORD VOL: 1 ****

Name : JAMESON, PARKER (011-02-2033) Page: 1

Birth Date: OCT 24, 1947 Run Date: DEC 24, 1987 13:39

Current : MAIN FILE ROOM Phone : 456 | Home : MAIN FILE ROOM Since... : DEC 15, 1987 13:56 | Location: Suite 999 | Phone: 456

 [* pull list request]

 Record
 Requestor
 Date Needed
 Phone/Room#
 Request#

 1
 MR1
 WAGNER, CHARLES
 JAN 2, 1988 08:00 555/432C
 18

 2
 MR1
 DUGAN, SALLY
 JAN 10, 1988 222/Suite 109 31

Choose Request from List: 2

Request No. 31

DATE/TIME RECORD NEEDED: JAN 10, 1988// JAN 11, 1988

REQUESTOR: DUGAN, SALLY// <RET>

Request Records Menu Fill a Request

The Fill a Request option is used by file room personnel to fill a request for a patient's record(s). The request may be selected by patient name, request number or by wanding the request bar code label.

When request selection is made by entering a patient's name, the system displays the Patient Profile and Short Record Inquiry. This inquiry is a list of the patient's requestable records in that application. If a record has been inactivated or transferred out, it will not appear in the inquiry. After the record is selected, a request profile will be displayed for that record listing the requests which may be filled. The user may fill a single request, multiple requests or a range of requests for each patient selected.

If the request is selected by entering the request number or by wanding the request bar code label, only the data associated with that particular request will be displayed and the request will be added to the list to be processed.

Deletion of a selected request is possible by entering a minus sign (-) and the request number at the appropriate prompt.

Example

Request Records Menu Fill a Request

**** Request Profile for MEDICAL RECORD VOL: 1 ****

Name : JAMESON, PARKER (011-02-2033) Page: 1

Birth Date: OCT 24, 1947 Run Date: DEC 24, 1987 13:39

Current : MAIN FILE ROOM Phone : 456 | Home : MAIN FILE ROOM Since... : DEC 15, 1987 13:56 | Location: Suite 999 | Phone: 456

	Record	Requestor	Date Needed	[* pull Phone/Room#	list request] Request#
1	MR1	WAGNER, CHARLES	JAN 2, 1988 08:00	555/432C	18
2	MR1	DUGAN, SALLY	JAN 10, 1988	222/Suite 109	31

Choose Request from List: 1,2

...added to list to be processed ...added to list to be processed

Fill Which Request: <RET>

Will now fill requests selected...

...request for JAMESON, PARKER'S MEDICAL RECORD (V1) filled

...request for JAMESON, PARKER's MEDICAL RECORD (V1) filled

Request Records Menu Reprint a Request Notice

The Reprint a Request Notice option is used when it is necessary to reprint a request for a patient's record(s). The request may be selected by patient name, request number, or by wanding the request bar code label.

When request selection is made by entering a patient's name, the system displays the Patient Profile and Short Record Inquiry. This inquiry is a list of the patient's requestable records in that application. If a record has been inactivated or transferred out, it will not appear in the inquiry. After the record is selected, a request profile will be displayed for that record listing the requests which may be reprinted. The user may reprint a single request, multiple requests or a range of requests for each patient selected.

If the request is selected by entering the request number or by wanding the request bar code label, only the data associated with that particular request will be displayed.

Request Records Menu Reprint a Request Notice

Example

Select Request: MANETTI, LAWRENCE 3-23-47 334556778

**** RADIOLOGY Profile ****

Name : MANETTI, LAWRENCE (334-55-6778) Page: 1

Birth Date: MAR 23, 1947 Run Date: DEC 14, 1987 09:06

Record Type Vol Current Borrower

1 MASTER FOLDER V1 MAIN FILE ROOM Date Charged Phone/Room# MAR 17, 1987 13:23 444/609B ______ 2 CHEST FILMS V1 MAIN FILE ROOM JUN 29, 1987 15:12 444/609B

Select MANETTI, LAWRENCE's Record from List: 1

**** Request Profile for MASTER FOLDER Vol: 1 ****

Name : MANETTI, LAWRENCE (334-55-6778) Page: 1

Birth Date: MAR 23, 1947 Run Date: DEC 14, 1987 09:06 ______

Home: MAIN FILE ROOM

 Current
 : MAIN FILE ROOM
 Phone: 444
 | Home: MAIN

 Since...
 : MAR 17, 1987 13:23
 Location: 609B
 | Phone: 444

[* pull list request] Date Needed Phone/Room# Request# Record Requestor _____ 1 MF1 BAILEY, CHARLOTT DEC 16, 1987 707/SUITE 235

Choose Request from List:

Choose Request from List: $\frac{1}{2}$ Select Label Device: HOME// HALLWAY PRINTER

...notice for request #33 has been queued to print on device HALLWAY PRINTER

Request Records Menu Request a Record

The Request A Record option is used to enter a request for a patient's record. The user may request a single record, multiple records or a range of records for a patient. He/she may request the record for the current time or a date/time in the future. The person/location borrowing the record must be in the BORROWER file.

Dependent on how the site parameter is set at your facility, the current borrower of a record may enter a request for that record for a future date. This may be done by wanding the record's bar code label or by keyboard entry. Use of the bar code label reader is the fastest and most accurate method of request.

When record selection is made by entering a patient's name, the system displays the Patient Profile and Short Record Inquiry. This inquiry is a list of the requestable records for that patient in that application. If a record type has been defined as unrequestable through your site parameters, it will not be displayed in the Short Record Inquiry. If the record requested has been inactivated or transferred out to another facility, it will not be displayed in the inquiry. Wanding the bar code label of an unrequestable record will result in the message, "No match found" being displayed. After the record(s) is selected, a request profile will be displayed for each record. This includes the current location of the record, the home file room of the record, recent pending requests, etc. A sequential request number is automatically assigned by the system for each record requested.

Request Records Menu Request a Record

Example

Select Record: MCRANEY, JEREMY 10-10-44 **** MEDICAL ADMINISTRATION Profile **** ______ Name : MCRANEY, JEREMY (555-99-9888) Page: 1 Birth Date: OCT 10, 1944 Run Date: DEC 7, 1987 13:21 ______ Phone/Room # NOV 23, 1987 14:04 231/SUITE 4307 2 MEDICAL RECORD V1 MAS FILE ROOM NOV 24, 1987 08:33 231/SUITE ______ 3 ADMINISTRATIVE RECORD V2 COOPER, MARCUS DEC 1, 1987 10:39 456/645D 4 ADMINISTRATIVE RECORD V1 TROST, PETER DEC 3, 1987 15:53 530/827B Select MCRANEY, JEREMY's Records from List: 1,2 **** Request Profile for MEDICAL RECORD Vol: 2 **** ______ Name : MCRANEY, JEREMY (555-99-9888) Page: 1 Run Date: DEC 7, 1987 13:21 Birth Date: OCT 10, 1944 ______ Current : MAS FILE ROOM Phone :231 Home : MAS FILE ROOM Since... : NOV 23, 1987 14:04 Location:Suite 4307 Phone: 231 ______ [* pull list request] Phone/Room# Record Requestor Date Needed Request# No requests Request No. 37: REQUESTING RECORD FOR WHICH BORROWER: <u>BAVARO, MELINDA</u> BAVARO, MELINDA ...OK? YES// <RET> (YES) MEDICAL ADMINISTRATION Update Borrower Information: PHONE #: 357// <RET> LOCATION/ROOM#: 345A// <RET> DATE/TIME RECORD NEEDED: NOW// <RET> (DEC 7, 1987 13:22) COMMENT: <RET> ...notice for request #37 has been queued to print on device A143

Request Records Menu Request a Record

**** Request Profile for MEDICAL RECORD Vol: 1 ****

Name : MCRANEY, JEREMY (555-99-9888) Page: 1

Birth Date: OCT 10, 1944 Run Date: DEC 7, 1987 13:22 ______

Current : MAS FILE ROOM Phone :231 | Home : MAS FILE ROOM | Since... : NOV 24, 1987 08:33 | Location:Suite 4307 | Phone: 231

[* pull list request]

Phone/Room# Record Requestor Date Needed Request#

1 MED1 COOPERMAN, SALLY DEC 10, 1987 999/234C 29

(Comment: REVIEW CHART PRIOR TO PATIENT'S VISIT)

Request No. 38: _____ COMMENT: <RET>

...notice for request #38 has been queued to print on device A143

...request filed

Pull List Functions Menu

The Pull List Functions Menu supports requisitioning of multiple records needed for the same date/time by the same borrower. Such a requisition is known as a pull list.

Within the Record Tracking system there are two types of pull lists; Ad Hoc Pull Lists and Clinic Pull Lists. Ad Hoc Pull Lists may be created through the Pull List Functions Menu on an as-needed basis. These may be used in both the Medical Administration application and the Radiology application. A variety of areas within your facility will probably want to use the Ad Hoc Pull Lists - Correspondence Unit, Research Service, Medical Information Section, etc.

Clinic Pull Lists are created automatically by the system as appointments are made through the Scheduling module. This occurs in accordance with your site parameters, which are usually set by the Application Coordinator and Site Manager. Assuming all these parameters have been set, the system will create these pull lists as appointments are scheduled to clinics. A separate pull list will be created for each clinic for each day it meets, listing appropriate record requests for the patients scheduled. When appointments are cancelled, the system also removes the corresponding requests from the pull list and, if rescheduled, places them on the new pull list. Each record listed on a pull list has a corresponding request which may be accessed through the Request Records Menu. The records requested will be in accordance with the specifications set forth for that clinic. One clinic may request all volumes of each patient's medical records, while another may only request the latest volume. Some clinics may request administrative records as well as medical records. Clinics may even request radiology records via these pull lists, if so defined. For instance, an Orthopedic Clinic may wish to routinely request radiology records for each patient seen. In this case, the system would create two pull lists; one for Medical Administration and one for Radiology. The Medical Administration Pull List would be known as the "parent". The specifications will vary from clinic to clinic.

It is necessary to print these pull lists through the Print Pull List(s) option on this menu. Your site may wish to print these lists on a daily basis, several days in advance of clinic meetings.

There are three statuses related to pull lists.

REQUESTED - This status indicates the records on the pull list have been requested, but not yet charged out. Also known as "pending".

CHARGED - This status indicates the pull list has been charged to the borrower for whom they were requested.

CANCELLED - This status indicates it is no longer necessary for the file room to pull the records on the pull list; it has been cancelled or deleted.

The following is a descriptive listing of the options contained in this menu.

CREATE A PULL LIST - Used to create ad hoc pull lists; those not associated with scheduled clinic appointments.

ADD REQUESTS TO PULL LIST - Used to enter additional requests to an already established pull list with a status of REQUESTED.

CHARGE OUT PULL LIST RECORDS - Used to charge out records on a pull list all at once. Records may first be specified as not fillable, then the remaining ones are charged to the specified borrower. All clinic lists for a given date may be done at once.

PULL LIST DATE CHANGE - Allows change of requesting date/time to an already established pull list.

ENTIRE PULL LIST CANCELLATION - Allows deletion of an entire pull list with a status of REQUESTED.

CANCEL REQUEST FROM PULL LIST - Used to remove individual record requests from an already established pull list with a status of REQUESTED.

DESIGNATE REQUESTS AS 'NOT FILLABLE' - Used to change status of individual requests on an already established pull list from/to REQUESTED or NOT FILLABLE.

EDIT PULL LIST COMMENT - Used to enter/edit comment on an already established pull list.

PRINT PULL LIST(S) - Used to print clinic and ad hoc pull lists.

SPECIAL MULTI-INSTITUTION PRINTS - Used by multi-divisional facilities to obtain a list of records which need to be moved between divisions for clinic purposes.

ENTIRE PULL LIST CANCELLATION (ALL DATES) - Used to cancel pull lists associated with a clinic which has been deactivated. This option will cancel all pull lists for a specified clinic.

Pull List Functions Menu Create a Pull List

The Create a Pull List option is used to create ad hoc pull lists (those other than automatically created by the system for scheduled clinics). This is useful for areas in your facility which request multiple patient records routinely, such as Medical Information, Correspondence, Fee Basis, etc.

The system will automatically assign a pull list number which you may edit if you wish.

This option may be used several ways. You may restrict the record type and volumes to be requested. When this is done, all you need do is enter each patient's name. The system will automatically extract the appropriate record for each patient entering it onto the pull list. For example, this may be done should you wish to request only the latest volume of each patient's medical record. When used in this manner, the process runs fairly quickly since patient short record inquiries will not be displayed. Pull lists may also be set up such that different record types and/or volumes may be entered. The process may not be as quick, since short record inquiries will be displayed upon entry of patient names; however, this is useful when it is necessary to request a variety of record types and/or volumes within the same pull list.

Entry of records and borrowers may be made either via keyboard or wanding of bar code labels. When record types and volumes are restricted, the system only accepts wanding of applicable record labels. As with all other options, the system checks the availability of records wanded and the borrower status of all borrowers.

If the date/time needed is the current date, a separate request for each record will immediately print on the appropriate printer; otherwise, it is necessary to print your pull list at an appropriate later date/time.

Pull List Functions Menu Create a Pull List

```
Enter NEW PULL LIST NAME: PACEMAKER STUDY
  ARE YOU ADDING 'PACEMAKER STUDY' AS A NEW PULL LIST? Y (YES)
  PULL LIST NUMBER: 35//<RET>
PULL LIST: PACEMAKER STUDY//<RET>
COMMENTS:
 1>Records needed for pacemaker study
 2><RET>
EDIT Option:<RET>
RECORD TYPE RESTRICTION: MEDICAL RECORD
VOLUMES REQUESTED: LATEST VOLUME// A ALL VOLUMES
DATE RECORDS NEEDED: FEB 1 (FEB 1,\overline{1}988)
BORROWER: MARTIN, J MARTIN, JOHN M.D.
        ...OK? YES// <RET>
                                       MEDICAL ADMINISTRATION
                            (YES)
Select Record: MEYER, DAVID
                                02-02-22 345930493
   ...added to list to be processed
   ...added to list to be processed
   ...added to list to be processed
Select Record: STACK, NORMAN 04-14-45 324938402
   ...added to list to be processed
   ...added to list to be processed
Select Record: BANKER, HOWARD EDWARD
                                    03-05-31 483833838
   ...added to list to be processed
   ...added to list to be processed
   ...added to list to be processed
   ...added to list to be processed
Select Record: BARTON, FRED
                              01-01-40 111223333
   ...MEDICAL RECORD
   ...added to list to be processed
Select Record: <RET>
Will now request the records selected...
     ...requests filed.
```

Pull List Functions Menu Add Requests to Pull List

The Add Requests to Pull List option is used to enter additional record requests to an established pull list. Additions can only be made to pull lists with a status of REQUESTED. Record selection can be made by patient name, record number or by wanding the appropriate record bar code label.

The site's system definition (for clinic pull lists) or pull list specifications (for ad hoc pull lists) determine if certain prompts will appear in this option. If a particular record has been defined with the selected borrower, that record type will be automatically selected to be added to the pull list when the patient's name is entered.

The option allows for deletion of requests; however, only requests entered during the current session can be deleted and only before these requests are filed. You may view a list of the records requested during the current session, view a list of the requests previously made for this pull list or both. Information provided on the previous requests include request number, patient name, last four digits of patient's social security number, record type/volume and request status. The option also provides the capability to cancel all the requests which have been added in the current session.

Pull List Functions Menu Add Requests to Pull List

Example

Select PULL LIST: 02-10-88 LIST: 02-10-88 FEB 10, 1988
INSURANCE STUDY 02-10-88 CORRESPONDENCE GROUP REOUESTED DERMATOLOGY [02/10/88] 02-10-88 MEDICAL RECORD DERMATOLOGY CLINIC REQUESTED CHOOSE 1-2: 1 Select Record: GARRETT, DARRYL 12-10-24 111098765 **** MEDICAL ADMINISTRATION Profile **** ______ Name : GARRETT, DARRYL (111-09-8765) Page: 1 Birth Date: DEC 10, 1924 Run Date: JAN 30, 1988 10:03 ______ Vol Current Borrower Date Charged Record Type Phone/Room # Record Type -----MEDICAL RECORD V1 MAIN FILE ROOM MAIN FILE ROOM JAN 22, 1988 14:27 222/SUITE 290 ______ ADMINISTRATIVE F V1 BECK, LEVON JAN 29, 1988 09:23 568/524D Select GARRETT, DARRYL's Records from List: 2 ...added to list to be processed Select Record: ? Records selected to be requested during this session: Record Type Name Volume GARRETT, DARRYL 8765 ADMINISTRATIVE F Also, you can delete a selected record by entering a 'minus' sign (-) before the record number (eg. Select Record: -354). Do you want to see more 'help' information? No// YES Requests previously made for this pull list: Req # Name Record Type Volume Status ----2 1 ADMINISTRATIVE F
ADMINISTRATIVE F 187 DANDRON, ROBERT 2243 REQUESTED RYAN, CONSTANCE REQUESTED 199 3876 Do you want to see more 'help' information? No// <RET> Select Record: <RET> Will now request the records selected... ...request filed.

Pull List Functions Menu Charge Out Pull List Records

The Charge Out Pull List Records option is used to charge out patient records from a pull list. After allowing for designation of any requests as NOT FILLABLE, the remainder of the requests on the pull list may be charged out all at once. You may charge out a single clinic pull list or multiple clinic lists for the same date. Ad hoc pull lists can only be charged out individually. This option may also be used to change the status of requests from NOT FILLABLE to REQUESTED.

Records may also be charged out to a holding area. This allows file room personnel to pull records for a clinic 2 or 3 days before the clinic actually meets. These charts may be held in the file room, or elsewhere, until the day of the clinic. While being held, they would be considered "charged to a holding area". While charged to a holding area, the clinic pull list status, as well as the status of each individual request, remain REQUESTED and are not changed to CHARGED. To charge the records to the requestor, the charge out process would have to be repeated.

If you choose to charge out all clinic records for a particular date, the system will display a message advising you to print an update listing before charging out the records. This is to assure that all add on requests have been pulled.

Pull List Functions Menu Charge Out Pull List Records

Example

Do you wish to first designate some requests as 'not fillable'? No// YES

Select Request: 210 BAILEY, CHRIS REC#: 606 REQ#: 201 Requestor: CORRESPONDENCE GP Date Needed Date Needed: JAN 22, 1988 18:15

Type: MEDICAL RECORD (V1)

SSN: 100-00-9000 Date of Birth: DEC 12, 1954 Location: MAS FILE ROOM Phone/Room: 444/Suite 222

Current status of request is 'REQUESTED'.

Do you want to change status to 'NOT FILLABLE' ? Yes// <RET>

Select Request: <RET>

Select Pull List: ALL CLINIC LISTS// INSURANCE CLAIMS 01-22-88

MEDICAL RECORD

CORRESPONDENCE GP REQUESTED ...OK? YES// (YES)

Do you want to charge out records to a holding area? No// <RET>

Are you sure you want to 'CHARGE OUT' these records? No// Yes

DEVICE: D543// C555 OUTPATIENT PRINTER RIGHT MARGIN: 132// <RET>

REQUESTED TIME TO PRINT: NOW// <RET>

REQUEST QUEUED!

PULL LIST CHARGE-OUT LOG RUN DATE: JAN 21, 1988 09:03 ______

....'INSURANCE CLAIMS' pull list has been charged out.

Pull List Functions Menu Pull List Date Change

This option is used to change the date for which pull list records are requested. It may be used for both ad hoc pull lists as well as clinic pull lists. Since new pull lists are automatically created by the system when clinics are rescheduled, it will most likely be used for ad hoc pull lists. The pull list must have a status of REQUESTED.

The original date of these pull lists will then be shown in brackets on the left each time the pull list is called up.

```
Select PULL LIST: PACEMAKER STUDY 03-14-88 REQUESTED ...OK? YES// <RET> (YES) Enter NEW Date: 3-28-88 (MAR 28, 1988) Are you sure you want to change the date the records are needed? No// Yes
```

Pull List Functions Menu Entire Pull List Cancellation

As its name implies, this option is used to cancel entire pull lists. Associated pull lists are automatically cancelled by the system when a clinic is cancelled, hence this option applies mostly to ad hoc pull lists. Pull lists cancelled must have a status of REQUESTED and be for a future date.

You will be prompted for the name, number or date of the pull list to be cancelled, then for confirmation. A message will be displayed advising that the pull list has been cancelled at the conclusion of the session.

```
Select PULL LIST: 204 CARDIOLOGY [02/15/88] 02-15-88 CARDIOLOGY REQUESTED

Are you sure you want to cancel this pull list? No// YES

...pull list has been cancelled
```

Pull List Functions Menu Cancel Request from Pull List

The Cancel Request from Pull List option is used to cancel a request for a patient's record from a pull list. Requests may only be cancelled from pull lists for a future date having a status of REQUESTED or NOT FILLABLE. The request may be selected by patient name, request number or by wanding the request bar code label. If the request is selected by patient name, the system displays the Patient Profile and Short Record Inquiry. This inquiry is a list of the requestable records for that patient in that application. After the desired record is selected, a request profile will be displayed for that record. This includes the current location of the record, the home file room of the record, recent pending requests, etc. If the request to be cancelled is selected by request number or by wanding the request bar code label, an abbreviated display will appear providing data specific to that request only.

A question mark <?> entered at the "Select Request" prompt will display all the requests previously made for the selected pull list. Information provided in this display includes request number, patient name and last four digits of social security number, record type/volume and request status.

```
Select PULL LIST: CARDIAC IMAGING STUDY 02-16-88 MEDICAL RECORD CARDIOLOGY
SVC. REQUESTED
  ...OK? YES// YES (YES)
Select Request: JONES, MARY
                          05-24-46 123123321
            **** MEDICAL ADMINISTRATION Profile ****
______
Name : JONES, MARY (123-12-3321)
                                          Page: 1
Birth Date: MAY 14, 1946
                                       Run Date: JAN 29, 1988 10:20
______
Record Type Vol Current Borrower Date Charged Phone/Room #

1 MEDICAL RECORD V1 MAIN FILE ROOM JAN 18, 1988 666/Suite 345B
2 ADMINISTRATIVE F V1 MAIN FILE ROOM
                                     JAN 09, 1988 666/Suite 345B
Select 'JONES,MARY's Records from List: 1
```

Pull List Functions Menu Cancel Request from Pull List

**** Request Profile for MEDICAL RECORD VOL: 1 ****

Page: 1

Name : JONES, MARY (123-12-3321) Birth Date: MAY 14, 1946 Run Date: JAN 29, 1988 10:20

Current : MAIN FILE ROOM Phone : 666 | Home : MAIN FILE ROOM Since... : JAN 18, 1988 | Location: Suite 345B | Phone: 666

[*pull list request] [*pull list request]
Date Needed Phone/Room# REQUEST# Record Requestor

1 MR1 CARDIOLOGY SVC. FEB 16, 1988 09:30 345 346D 34*

Are you sure you want to cancel this request? No// $\underline{Y}ES$...request has been cancelled

Select Request: <RET>

Pull List Functions Menu Designate Requests as 'Not Fillable'

The Designate Requests as 'Not Fillable' option is used by file room personnel to specify requests for patients' records as not fillable. Conversely, requests with a status of NOT FILLABLE may be changed to REQUESTED through this option. A request may not be fillable due to the record being charged to another borrower, record missing, etc.

Requests designated as not fillable will still appear on the Pending Request List, the Requests Pending for Borrowers List and will also still appear as a pending request under Request a Record option.

When request selection is made by entering a patient's name, the system displays the Patient Profile and Short Record Inquiry. This inquiry is a list of the patient's requestable records in that application. If a record has been inactivated or transferred out, it will not appear in the inquiry. After the record is selected, a request profile will be displayed for that record listing the requests which may be chosen. The user may designate a single request, multiple requests or a range of requests for each patient selected.

If the request is selected by entering the request number or by wanding the request bar code label, only the data associated with that particular request will be displayed.

Pull List Functions Menu Designate Requests as 'Not Fillable'

Example

Select Request: MANETTI, LAWRENCE 3-23-47 334556778

**** RADIOLOGY Profile ****

Name : MANETTI, LAWRENCE (334-55-6778) Page: 1

Birth Date: MAR 23, 1947 Run Date: DEC 14, 1987 09:06

	Record Type	Vol	Current Borrower	Date Charged	Phone/Room#
1	MASTER FOLDER	V1	MAIN FILE ROOM	MAR 17, 1987 13:23	444/609B
2	CHEST FILMS	V1	MAIN FILE ROOM	JUN 29, 1987 15:12	444/609B

Select MANETTI, LAWRENCE's Record from List: 1

**** Request Profile for MASTER FOLDER Vol: 1 ****

Name : MANETTI, LAWRENCE (334-55-6778) Page: 1

Birth Date: MAR 23, 1947 Run Date: DEC 14, 1987 09:06 ______

Current : MAIN FILE ROOM Phone: 444 | Home : MAIN FILE ROOM Since... : MAR 17, 1987 13:23 Location: 609B | Phone: 444

[* pull list request] Date Needed Phone/Room# Request# Record Requestor 1 MF1 BAILEY, CHARLOTTE DEC 16, 1987 707/SUITE 235 33 ______

Current status of request is 'REQUESTED'.

Do you want to change status to 'NOT FILLABLE' ? Yes// <RET> _____

Pull List Functions Menu Edit Pull List Comment

The Edit Pull List Comment option is used to add or edit comments to pull lists. Comments to an ad hoc pull list can be added when the pull list is created through the Create a Pull List option. Comments to a clinic pull list (which is created through the Scheduling module) can only be added here. The comments of both pull lists may be edited through this option.

Only pull lists with a status of REQUESTED for today's date or a date in the future may be selected when utilizing this option. The pull list may be selected by pull list name, pull list number or date records needed.

```
Select PULL LIST: PTSD THERAPY 02-22-88 MEDICAL FOLDER PSYCHIATRY SERVICE REQUESTED ...OK? YES// <RET> (YES)

COMMENTS:

1>Charts must be received in Mental Hygiene Clinic 2 days before group 2>scheduled to meet.

EDIT Option: 1

1>Charts must be received in Mental Hygiene Clinic 2 days before group Replace 2 With 3 Replace <RET>
Charts must be received in Mental Hygiene Clinic 3 days before group EDIT line: <RET>

EDIT Option: <RET>

EDIT Option: <RET>
```

Pull List Functions Menu Print Pull List(s)

The Print Pull List(s) option is used to print clinic and ad hoc pull lists. Clinic pull lists are automatically created through the Scheduling module when clinic appointments are made. The clinic must be initialized through the Borrower Initialization and Borrower Set-up options in Record Tracking before the appointments are made in order to create a clinic pull list. Ad hoc pull lists are created through the Create a Pull List option in Record Tracking. Any pull list, other than one automatically created through Scheduling, would be considered an ad hoc pull list. A pull list number is automatically assigned to every pull list created.

Pull lists may be sorted in one of the following ways: terminal digit; clinic name, terminal digit; clinic name, appointment time; home location, terminal digit; or home location, clinic, terminal digit. If more than one clinic is to be printed and sorted by terminal digit, there will be no separation of appointments by clinic. Appointments for all the clinics involved will be listed together by terminal digit. Ad hoc pull lists can only be printed individually by terminal digit.

Pull lists may be printed to include all appointments, a short non-fillable list, a detailed non-fillable list or to include only updates to the list. Updates are requests that were added after the entire pull list was last printed. The detailed non-fillable printout is the same as the Tracking Data Trace Report obtained by using the Combination Data Trace option of the Record Information Menu. This traces the movements of a patient's records back to a particular date. The date used depends on how the Record Set-up site parameter, "# of Previous Movements to Retain", is set at your facility. If you chose to sort by clinic name - appointment type, you can only print to include all appointments or a short non-fillable list.

The pull list status (REQUESTED, CHARGED, CANCELLED) will only appear on clinic pull lists that are sorted by other than terminal digit. The status of a pull list may be REQUESTED even though the status of each request on that list is CHARGED. This may occur if the requests were filled through the Fill a Request option of the Request Records Menu. The status of the pull list will not change from REQUESTED to CHARGED or CANCELLED until the Charge Out Pull List Records or Entire Pull List Cancellation options are utilized.

Record borrowers may wish to use this option to view charged out pull lists to determine which requests were not fillable.

Pull List Functions Menu Print Pull List(s)

Example

Select Pull List: ALL CLINIC LISTS// <RET>

Select Date: 1-11-88 (JAN 11, 1988)

The following CLINIC pull lists will be PRINTED:

1. GI Status: REQUESTED
2. HYPERTENSION Status: CHARGED

How do you want list sorted? Terminal Digits// Clinic Name

Select type of list? All// <RET>

DEVICE: AB78// <RET> HALLWAY PRINTER RIGHT MARGIN: 132// <RET>

REQUESTED TIME TO RUN JOB: NOW// <RET>

REQUEST QUEUED!

Record Pull List - MEDICAL ADMINISTRATION PAGE: 1

[Sorted by: Clinic and Terminal Digits] Run Date: JAN 10, 1988

10:05

Requested Date: JAN 11, 1988

Name Type Request# Status Requestor Time Current Location Other Req for Record

[Record Request Pull List for GI [01/11/88]] [Pull List Status:

REQUESTED]

CALVIN, THEODORE MED1 123 REQUESTED DEMYAN, N 10:00 MAS FILE R@M 222233311

SULLIVAN, THOMAS MED1 135 REQUESTED DEMYAN, N 10:30 CORRESPON. GROUP

112337340

IBOLD, DOUGLAS MED1 119 REQUESTED MCGUIRE, N 11:15 MAS FILE ROOM

222338667

CHUMLEY, AGATHA MED1 208 REQUESTED CAMPANA, K 11:30 HEMATOLOGY LAB

333229999

Pull List Functions Menu Special Multi-Institution Prints

The Special Multi-Institution Prints option is used at multi-divisional sites to obtain a list of records which need to be moved between divisions for clinic purposes. The user may choose to print only a list of the records to be sent to the other division, only a list of the records to be received at the user's division or both lists. After the requested date is selected, the system will search the clinic pull lists for that date for any applicable records. These clinic pull lists will be listed on the screen along with the pull list status of each.

The records listed on the output will be sorted by terminal digit (SSN). Information provided includes patient name, record type, request number and status of request, requestor and time record needed, the current location of the record and other requests for that record.

```
Institution: AUGUSTA, GA
Which list do you want to print? Both// <RET>
Select Date: 1-22-88 (JAN 22, 1988)
The following CLINIC pull lists will be SEARCHED:
                                    Status: REQUESTED Status: REQUESTED
    1. ALLERGY CLINIC
    2. INFECTIOUS DISEASE CLINIC
DEVICE: A134// <RET> RECEPTION AREA PRINTER RIGHT MARGIN: 132// <RET>
REQUESTED TIME TO RUN JOB: NOW// <RET>
REQUEST QUEUED!
Special Multi-Institution Record Pull List [SEND ONLY] - MEDICAL ADMINISTRATION
                                                     PAGE : 1
[Institution: AUGUSTA, GA]
                                                   Run Date: JAN 2, 1988
13:15
[Sorted by: Terminal Digits]
                                             Requested Date: JAN 22, 1988
Name Type Request# Status Requestor Time Current Location Other Req for Record:
   ... no records need to be 'SENT TO' other institutions.
```

Pull List Functions Menu Special Multi-Institution Prints

Special Multi-Institution Record Pull List [RECEIVE ONLY] - MEDICAL ADMINISTRATION

Run Date: JAN 2, 1988 13:15 Requested Date: JAN 22, 1988 [Institution: AUGUSTA, GA]

[Sorted by: Terminal Digits]

Type Request# Status Requestor Time Current Location Other Req for Record

[RECEIVE these records from 'AUGUSTA, GA DOM']

CALVIN, THEODOR 222233311	MR1	199	REQUESTED	ALLERGY CLINIC	10:00	DOM FILE ROOM
BACHER, DANIEL 123457340	MR1	234	REQUESTED	ALLERGY CLINIC	10:30	CORRESPONDENCE
EVANSTON, PHILIP	MR1	178	REQUESTED	ALLERGY CLINIC	11:00	DOM FILE ROOM

111229990

Pull List Functions Menu Entire Pull List Cancellation (all dates)

The Entire Pull List Cancellation (all dates) option is used to cancel all the pull lists for a clinic. Pull lists must have a status of REQUESTED and be for a future date. This option could be utilized if a site wanted to permanently cancel a particular clinic. After the clinic has been selected and you are certain you want to delete all the pull lists, the system will display a message informing you of how many pull lists were cancelled for that clinic.

Example

Select Clinic: AUDIOLOGY

Are you sure you want to DELETE All Pull lists for the AUDIOLOGY clinic: ? NO// \underline{Y} (YES) 3 Pull lists were cancelled